

GL3001KB

GOATSKIN LEATHER DRIVER



Goatskin



Impact



Abrasion



Puncture



High-visibility

ANSI/ISEA 105 – CUT A1 | ABRASION 3 | PUNCTURE 3
ANSI/ISEA 138 – IMPACT 2
EN388 – 3111XP

Premium Grain Goatskin // Level 2 Impact Protection
// Keystone Thumb // Gunn Cut // Slip-On Cuff // Hi-vis for
Enhanced Visibility

GL3001KB S – 2XL

Suggested Applications

Agriculture // Transportation // Masonry //
Construction // Mining // Oil & Gas

Glove Breakdown

Outer: Premium Goatskin
Impact: Thermoplastic Rubber

⚠ WARNING: Cancer and Reproductive Harm –P65Warnings.ca.gov

Testing Performance



ANSI/ISEA 105

Cut	1	2	3	4	5	6	7	8	9	X
Abrasion	1	2	3	4	5	6				
Puncture	1	2	3	4	5					

ANSI/ISEA 138

Impact	1	2	3
--------	---	---	---

EN388

Abrasion	1	2	3	4		
Circular Blade Cut	1	2	3	4	5	X
Tear	1	2	3	4		
Puncture	1	2	3	4		
Cut TDM-100	A	B	C	D	E	F
Impact Rated	P	F	X			

Product markings may vary // Updated as of 11.22



Glove Sizing

Small 7	Medium 8	Large 9	X-Large 10	2X-Large 11
------------	-------------	------------	---------------	----------------

All sizes comply with EN ISO 21420 for comfort, fit and dexterity. Only wear the correct size for your hand. Gloves that are too loose or too tight will restrict movement and will not provide the optimal level of protection.

Packaging

Inner Polybag: 1 pair
Outer Polybag: 6 pair
Case: 60 pair
Made in Pakistan

GL3002CKB

GOATSKIN LEATHER DRIVER



Goatskin

Cut

Impact

Abrasion

Puncture

High-visibility

ANSI/ISEA 105 – CUT A4 | ABRASION 4 | PUNCTURE 3
ANSI/ISEA 138 – IMPACT 2
EN388 – 2X22EP

Premium Grain Goatskin // 360° A4 Para-Aramid Cut
Liner // Level 2 Impact Protection // Keystone Thumb //
Gunn Cut // Slip-On Cuff // Hi-vis for Enhanced Visibility

GL3002CKB S – 2XL

Suggested Applications

Agriculture // Transportation // Masonry //
Construction // Mining // Oil & Gas

Glove Breakdown

Outer: Premium Goatskin
Liner: 360° Para-Aramid
Impact: Thermoplastic Rubber

⚠ WARNING: Cancer and Reproductive Harm –P65Warnings.ca.gov

Testing Performance



ANSI/ISEA 105

Cut	1	2	3	4	5	6	7	8	9	X
Abrasion	1	2	3	4	5	6				
Puncture	1	2	3	4	5					

ANSI/ISEA 138

Impact	1	2	3
--------	---	---	---

EN388

Abrasion	1	2	3	4		
Circular Blade Cut	1	2	3	4	5	X
Tear	1	2	3	4		
Puncture	1	2	3	4		
Cut TDM-100	A	B	C	D	E	F
Impact Rated	P	F	X			

Product markings may vary // Updated as of 11.22



Glove Sizing

Small 7	Medium 8	Large 9	X-Large 10	2X-Large 11
------------	-------------	------------	---------------	----------------

All sizes comply with EN ISO 21420 for comfort, fit and dexterity. Only wear the correct size for your hand. Gloves that are too loose or too tight will restrict movement and will not provide the optimal level of protection.

Packaging

Inner Polybag: 1 pair
Outer Polybag: 6 pair
Case: 60 pair
Made in Pakistan

GL3003CK

GOATSKIN LEATHER DRIVER



Goatskin



Cut



Abrasion



Puncture

ANSI/ISEA 105 – CUT A7 | ABRASION 4 | PUNCTURE 4
EN388 – 2X22F

Premium Grain Goatskin // 360° A7 Para-Aramid Cut
Liner // Keystone Thumb // Gunn Cut // Slip-On Cuff

GL3003CK S – 2XL

Suggested Applications

Agriculture // Transportation // Masonry //
Construction // Mining // Oil & Gas

Glove Breakdown

Outer: Premium Goatskin
Liner: 360° Para-Aramid

⚠ WARNING: Cancer and Reproductive Harm –P65Warnings.ca.gov

Testing Performance

ANSI/ISEA 105



EN388



ANSI/ISEA 105

Cut	1	2	3	4	5	6	7	8	9	X
Abrasion	1	2	3	4	5	6				
Puncture	1	2	3	4	5					

EN388

Abrasion	1	2	3	4		
Circular Blade Cut	1	2	3	4	5	X
Tear	1	2	3	4		
Puncture	1	2	3	4		
Cut TDM-100	A	B	C	D	E	F

Product markings may vary // Updated as of 11.22



Glove Sizing

Small 7	Medium 8	Large 9	X-Large 10	2X-Large 11
------------	-------------	------------	---------------	----------------

All sizes comply with EN ISO 21420 for comfort, fit and dexterity. Only wear the correct size for your hand. Gloves that are too loose or too tight will restrict movement and will not provide the optimal level of protection.

Packaging

Inner Polybag: 1 pair
Outer Polybag: 6 pair
Case: 60 pair
Made in Pakistan

GL3003CKB

GOATSKIN LEATHER DRIVER



Goatskin

Cut

Impact

Abrasion

Puncture

High-visibility

ANSI/ISEA 105 – CUT A7 | ABRASION 4 | PUNCTURE 4
ANSI/ISEA 138 – IMPACT 2
EN388 – 2X22FP

Premium Grain Goatskin // 360° A7 Para-Aramid Cut
Liner // Level 2 Impact Protection // Keystone Thumb //
Gunn Cut // Slip-On Cuff // Hi-vis for Enhanced Visibility

GL3003CKB S – 2XL

Suggested Applications

Agriculture // Transportation // Masonry //
Construction // Mining // Oil & Gas

Glove Breakdown

Outer: Premium Goatskin
Liner: 360° Para-Aramid
Impact: Thermoplastic Rubber

⚠ WARNING: Cancer and Reproductive Harm – P65Warnings.ca.gov

Testing Performance



ANSI/ISEA 105

Cut	1	2	3	4	5	6	7	8	9	X
Abrasion	1	2	3	4	5	6				
Puncture	1	2	3	4	5					

ANSI/ISEA 138

Impact	1	2	3
--------	---	---	---

EN388

Abrasion	1	2	3	4		
Circular Blade Cut	1	2	3	4	5	X
Tear	1	2	3	4		
Puncture	1	2	3	4		
Cut TDM-100	A	B	C	D	E	F
Impact Rated	P	F	X			

Product markings may vary // Updated as of 11.22



Glove Sizing

Small 7	Medium 8	Large 9	X-Large 10	2X-Large 11
------------	-------------	------------	---------------	----------------

All sizes comply with EN ISO 21420 for comfort, fit and dexterity. Only wear the correct size for your hand. Gloves that are too loose or too tight will restrict movement and will not provide the optimal level of protection.

Packaging

Inner Polybag: 1 pair
Outer Polybag: 6 pair
Case: 60 pair
Made in Pakistan

GL3005CK

GOATSKIN LEATHER DRIVER



ANSI/ISEA 105 – CUT A4 | ABRASION 4 | PUNCTURE 4
EN388 – 2X32E

Premium Grain Goatskin // 360° A4 HPPE Cut Liner //
Keystone Thumb // Gunn Cut // Slip-On Cuff

GL3005CK S – 2XL

Suggested Applications


Agriculture // Transportation // Masonry //
Construction // Mining // Oil & Gas

Glove Breakdown

Outer: Premium Goatskin
Liner: 360° HPPE

⚠ WARNING: Cancer and Reproductive Harm –P65Warnings.ca.gov

Testing Performance



ANSI/ISEA 105

Cut	1	2	3	4	5	6	7	8	9	X
Abrasion	1	2	3	4	5	6				
Puncture	1	2	3	4	5					

EN388

Abrasion	1	2	3	4		
Circular Blade Cut	1	2	3	4	5	X
Tear	1	2	3	4		
Puncture	1	2	3	4		
Cut TDM-100	A	B	C	D	E	F

Product markings may vary // Updated as of 11.22



Glove Sizing

Small 7	Medium 8	Large 9	X-Large 10	2X-Large 11
------------	-------------	------------	---------------	----------------

All sizes comply with EN ISO 21420 for comfort, fit and dexterity. Only wear the correct size for your hand. Gloves that are too loose or too tight will restrict movement and will not provide the optimal level of protection.

Packaging

Inner Polybag: 1 pair
Outer Polybag: 6 pair
Case: 60 pair
Made in Pakistan

GL3006CK

GOATSKIN LEATHER DRIVER



Goatskin



Cut



Abrasion



Puncture

ANSI/ISEA 105 – CUT A5 | ABRASION 4 | PUNCTURE 4
EN388 – 3X42F

Premium Grain Goatskin // 360° A5 HPPE Cut Liner //
Keystone Thumb // Gunn Cut // Slip-On Cuff

GL3006CK S – 2XL

Suggested Applications

Agriculture // Transportation // Masonry //
Construction // Mining // Oil & Gas

Glove Breakdown

Outer: Premium Goatskin
Liner: 360° HPPE

⚠ WARNING: Cancer and Reproductive Harm –P65Warnings.ca.gov

Testing Performance

ANSI/ISEA 105



EN388



ANSI/ISEA 105

Cut	1	2	3	4	5	6	7	8	9	X
Abrasion	1	2	3	4	5	6				
Puncture	1	2	3	4	5					

EN388

Abrasion	1	2	3	4		
Circular Blade Cut	1	2	3	4	5	X
Tear	1	2	3	4		
Puncture	1	2	3	4		
Cut TDM-100	A	B	C	D	E	F

Product markings may vary // Updated as of 11.22



Glove Sizing

Small 7	Medium 8	Large 9	X-Large 10	2X-Large 11
------------	-------------	------------	---------------	----------------

All sizes comply with EN ISO 21420 for comfort, fit and dexterity. Only wear the correct size for your hand. Gloves that are too loose or too tight will restrict movement and will not provide the optimal level of protection.

Packaging

Inner Polybag: 1 pair
Outer Polybag: 6 pair
Case: 60 pair
Made in Pakistan

GL3006CKB

GOATSKIN LEATHER DRIVER



Goatskin

Cut

Impact

Abrasion

Puncture

High-visibility

ANSI/ISEA 105 – CUT A5 | ABRASION 4 | PUNCTURE 4
ANSI/ISEA 138 – IMPACT 2
EN388 – 3X42FP

Premium Grain Goatskin // 360° A5 HPPE Cut Liner //
Level 2 Impact Protection // Keystone Thumb // Gunn
Cut // Slip-On Cuff // Hi-vis for Enhanced Visibility

GL3006CKB S – 2XL

Suggested Applications

Agriculture // Transportation // Masonry //
Construction // Mining // Oil & Gas

Glove Breakdown

Outer: Premium Goatskin
Liner: 360° HPPE
Impact: Thermoplastic Rubber

⚠ WARNING: Cancer and Reproductive Harm – P65Warnings.ca.gov

Testing Performance



ANSI/ISEA 105

Cut	1	2	3	4	5	6	7	8	9	X
Abrasion	1	2	3	4	5	6				
Puncture	1	2	3	4	5					

ANSI/ISEA 138

Impact	1	2	3
--------	---	---	---

EN388

Abrasion	1	2	3	4		
Circular Blade Cut	1	2	3	4	5	X
Tear	1	2	3	4		
Puncture	1	2	3	4		
Cut TDM-100	A	B	C	D	E	F
Impact Rated	P	F	X			

Product markings may vary // Updated as of 11.22



Glove Sizing

Small 7	Medium 8	Large 9	X-Large 10	2X-Large 11
------------	-------------	------------	---------------	----------------

All sizes comply with EN ISO 21420 for comfort, fit and dexterity. Only wear the correct size for your hand. Gloves that are too loose or too tight will restrict movement and will not provide the optimal level of protection.

Packaging

Inner Polybag: 1 pair
Outer Polybag: 6 pair
Case: 60 pair
Made in Pakistan

GL3007CK

GOATSKIN LEATHER DRIVER



Goatskin



Cut



Abrasion



Puncture

ANSI/ISEA 105 – CUT A6 | ABRASION 4 | PUNCTURE 4
EN388 – 2X42F

Premium Grain Goatskin // 360° A6 HPPE Cut Liner //
Keystone Thumb // Gunn Cut // Slip-On Cuff

GL3007CK S – 2XL

Suggested Applications


Agriculture // Transportation // Masonry //
Construction // Mining // Oil & Gas

Glove Breakdown

Outer: Premium Goatskin
Liner: 360° HPPE

⚠ WARNING: Cancer and Reproductive Harm –P65Warnings.ca.gov

Testing Performance



ANSI/ISEA 105

Cut	1	2	3	4	5	6	7	8	9	X
Abrasion	1	2	3	4	5	6				
Puncture	1	2	3	4	5					

EN388

Abrasion	1	2	3	4		
Circular Blade Cut	1	2	3	4	5	X
Tear	1	2	3	4		
Puncture	1	2	3	4		
Cut TDM-100	A	B	C	D	E	F

Product markings may vary // Updated as of 11.22



Glove Sizing

Small 7	Medium 8	Large 9	X-Large 10	2X-Large 11
------------	-------------	------------	---------------	----------------

All sizes comply with EN ISO 21420 for comfort, fit and dexterity. Only wear the correct size for your hand. Gloves that are too loose or too tight will restrict movement and will not provide the optimal level of protection.

Packaging

Inner Polybag: 1 pair
Outer Polybag: 6 pair
Case: 60 pair
Made in Pakistan

GL3007CKB

GOATSKIN LEATHER DRIVER



High-visibility

ANSI/ISEA 105 – CUT A6 | ABRASION 4 | PUNCTURE 4
ANSI/ISEA 138 – IMPACT 2
EN388 – 2X42FP

Premium Grain Goatskin // 360° A6 HPPE Cut Liner //
Level 2 Impact Protection // Keystone Thumb // Gunn
Cut // Slip-On Cuff // Hi-vis for Enhanced Visibility

GL3007CKB S – 3XL

Suggested Applications

Agriculture // Transportation // Masonry //
Construction // Mining // Oil & Gas

Glove Breakdown

Outer: Premium Goatskin
Liner: 360° HPPE
Impact: Thermoplastic Rubber

⚠ WARNING: Cancer and Reproductive Harm –P65Warnings.ca.gov

Testing Performance



ANSI/ISEA 105

Cut	1	2	3	4	5	6	7	8	9	X
Abrasion	1	2	3	4	5	6				
Puncture	1	2	3	4	5					

ANSI/ISEA 138

Impact	1	2	3
--------	---	---	---

EN388

Abrasion	1	2	3	4		
Circular Blade Cut	1	2	3	4	5	X
Tear	1	2	3	4		
Puncture	1	2	3	4		
Cut TDM-100	A	B	C	D	E	F
Impact Rated	P	F	X			

Product markings may vary // Updated as of 11.22



Glove Sizing

Small 7	Medium 8	Large 9	X-Large 10	2X-Large 11	3X-Large 12
------------	-------------	------------	---------------	----------------	----------------

All sizes comply with EN ISO 21420 for comfort, fit and dexterity. Only wear the correct size for your hand. Gloves that are too loose or too tight will restrict movement and will not provide the optimal level of protection.

Packaging

Inner Polybag: 1 pair
Outer Polybag: 6 pair
Case: 60 pair
Made in Pakistan

GL3008CK

GOATSKIN LEATHER DRIVER



ANSI/ISEA 105 – CUT A7 | ABRASION 4 | PUNCTURE 5
EN388 – 3X42F

Premium Grain Goatskin // 360° A7 HPPE Cut Liner //
Keystone Thumb // Gunn Cut // Slip-On Cuff

GL3008CK S – 2XL

Suggested Applications


Agriculture // Transportation // Masonry //
Construction // Mining // Oil & Gas

Glove Breakdown

Outer: Premium Goatskin
Liner: 360° HPPE

⚠ WARNING: Cancer and Reproductive Harm –P65Warnings.ca.gov

Testing Performance



ANSI/ISEA 105

Cut	1	2	3	4	5	6	7	8	9	X
Abrasion	1	2	3	4	5	6				
Puncture	1	2	3	4	5					

EN388

Abrasion	1	2	3	4		
Circular Blade Cut	1	2	3	4	5	X
Tear	1	2	3	4		
Puncture	1	2	3	4		
Cut TDM-100	A	B	C	D	E	F

Product markings may vary // Updated as of 11.22



Glove Sizing

Small 7	Medium 8	Large 9	X-Large 10	2X-Large 11
------------	-------------	------------	---------------	----------------

All sizes comply with EN ISO 21420 for comfort, fit and dexterity. Only wear the correct size for your hand. Gloves that are too loose or too tight will restrict movement and will not provide the optimal level of protection.

Packaging

Inner Polybag: 1 pair
Outer Polybag: 6 pair
Case: 60 pair
Made in Pakistan

GL3008CKB

GOATSKIN LEATHER DRIVER



Goatskin

Cut

Impact

Abrasion

Puncture

High-visibility

ANSI/ISEA 105 – CUT A7 | ABRASION 4 | PUNCTURE 5
ANSI/ISEA 138 – IMPACT 2
EN388 – 3X42FP

Premium Grain Goatskin // 360° A7 HPPE Cut Liner //
Level 2 Impact Protection // Keystone Thumb // Gunn
Cut // Slip-On Cuff // Hi-vis for Enhanced Visibility

GL3008CKB S – 2XL

Suggested Applications

Agriculture // Transportation // Masonry //
Construction // Mining // Oil & Gas

Glove Breakdown

Outer: Premium Goatskin
Liner: 360° HPPE
Impact: Thermoplastic Rubber

⚠ WARNING: Cancer and Reproductive Harm –P65Warnings.ca.gov

Testing Performance

ANSI/ISEA 105 **A7** | ANSI / ISEA 138 **2** | EN388 **3X42FP**

CE UK CA

ANSI/ISEA 105

Cut	1	2	3	4	5	6	7	8	9	X
Abrasion	1	2	3	4	5	6				
Puncture	1	2	3	4	5					

ANSI/ISEA 138

Impact	1	2	3
--------	---	---	---

EN388

Abrasion	1	2	3	4		
Circular Blade Cut	1	2	3	4	5	X
Tear	1	2	3	4		
Puncture	1	2	3	4		
Cut TDM-100	A	B	C	D	E	F
Impact Rated	P	F	X			

Product markings may vary // Updated as of 11.22



Glove Sizing

Small 7	Medium 8	Large 9	X-Large 10	2X-Large 11
------------	-------------	------------	---------------	----------------

All sizes comply with EN ISO 21420 for comfort, fit and dexterity. Only wear the correct size for your hand. Gloves that are too loose or too tight will restrict movement and will not provide the optimal level of protection.

Packaging

Inner Polybag: 1 pair
Outer Polybag: 6 pair
Case: 60 pair
Made in Pakistan

GL3009CKB

GOATSKIN LEATHER DRIVER



ANSI/ISEA 105 – CUT A4 | ABRASION 3 | PUNCTURE 3

ANSI/ISEA 138 – IMPACT 2

EN388 – 2X21EP

NFPA 70E ARC FLASH – CATEGORY 4 (47 cal/cm²)

Premium Grain Goatskin // 360° A4 Para-Aramid Cut Liner // Level 2 Impact Protection // Category 4 Arc Flash Protection // Gloves Pass the FR Test Under Section 8.8 Of NFPA 2112 // FR Treated TPR // Kevlar® Stitching // Keystone Thumb // Gunn Cut // Slip-On Cuff // Hi-vis for Enhanced Visibility // Oil and Water Resistant

GL3009CKB S – 2XL

Suggested Applications

Agriculture // Transportation // Masonry // Construction // Mining // Oil & Gas

Glove Breakdown

Outer: Premium Goatskin
Liner: 360° Para-Aramid
Impact: FR Treated Thermoplastic Rubber

⚠ WARNING: Cancer and Reproductive Harm –P65Warnings.ca.gov



Testing Performance



ANSI/ISEA 105

Cut	1	2	3	4	5	6	7	8	9	X
Abrasion	1	2	3	4	5	6				
Puncture	1	2	3	4	5					

ANSI/ISEA 138

Impact	1	2	3
--------	---	---	---

NFPA 70E

Category	1	2	3	4
ATPV Rating	47 cal/cm ²			

EN388

Abrasion	1	2	3	4		
Circular Blade Cut	1	2	3	4	5	X
Tear	1	2	3	4		
Puncture	1	2	3	4		
Cut TDM-100	A	B	C	D	E	F
Impact Rated	P	F	X			

Product markings may vary // Updated as of 11.22

Glove Sizing

Small 7	Medium 8	Large 9	X-Large 10	2X-Large 11
------------	-------------	------------	---------------	----------------

All sizes comply with EN ISO 21420 for comfort, fit and dexterity. Only wear the correct size for your hand. Gloves that are too loose or too tight will restrict movement and will not provide the optimal level of protection.

Packaging

Inner Polybag: 1 pair
Outer Polybag: 6 pair
Case: 60 pair
Made in Pakistan

GL3010CK

GOATSKIN LEATHER DRIVER



Goatskin

Cut

Abrasion

Puncture

Arc Flash

Oil & Water Resistant

ANSI/ISEA 105 – CUT A5 | ABRASION 4 | PUNCTURE 4
 EN388 – 1X32EP
 NFPA 70E ARC FLASH – CATEGORY 4 (41 cal/cm²)

Premium Grain Goatskin // 360° A4 Para-Aramid
 Cut Liner // Category 4 Arc Flash Protection // Gloves
 Pass the FR Test Under Section 8.8 Of NFPA 2112 //
 Kevlar® Stitching // Keystone Thumb // Gunn Cut //
 Slip-On Cuff // Oil and Water Resistant

GL3010CK S – 2XL

Suggested Applications

Agriculture // Transportation // Masonry //
 Construction // Mining // Oil & Gas

Glove Breakdown

Outer: Premium Goatskin
Liner: 360° Para-Aramid

⚠ WARNING: Cancer and Reproductive Harm –P65Warnings.ca.gov

Testing Performance

ANSI/ISEA 105



EN388



ARC FLASH



ANSI/ISEA 105

Cut	1	2	3	4	5	6	7	8	9	X
Abrasion	1	2	3	4	5	6				
Puncture	1	2	3	4	5					

EN388

Abrasion	1	2	3	4		
Circular Blade Cut	1	2	3	4	5	X
Tear	1	2	3	4		
Puncture	1	2	3	4		
Cut TDM-100	A	B	C	D	E	F
Impact Rated	P	F	X			

NFPA 70E

Category	1	2	3	4
ATPV Rating	41 cal/cm ²			

Product markings may vary // Updated as of 11.22



Glove Sizing

Small 7	Medium 8	Large 9	X-Large 10	2X-Large 11
------------	-------------	------------	---------------	----------------

All sizes comply with EN ISO 21420 for comfort, fit and dexterity. Only wear the correct size for your hand. Gloves that are too loose or too tight will restrict movement and will not provide the optimal level of protection.

Packaging

Inner Polybag: 1 pair
Outer Polybag: 6 pair
Case: 60 pair
Made in Pakistan